

Physical Property	Test Method	Value
Linear mass	EN 15534-1: 2014, 6.5	2.01 kg/m
Dimensions	EN 15534-1: 2014, 6.6.2	40 x 48 mm
Deviation from straightness	EN 15534-1: 2014, 6.6.3	0.12 mm
Cupping	EN 15534-1: 2014, 6.6.4	0.30 mm

Mechanical Characteristics	Test Method	Value
Falling mass impact resistance	EN 15534-1: 2014, 7.1.2.1 (EN 477:1995)	0.18 mm
Elastic Modulus (MOE)	EN 15534-1: 2014, 7.3.2 (EN 310:1993)	11.68 GPa
Maximum Stress (MOR)	EN 15534-1: 2014, 7.3.2 (EN 310:1993)	87.71 MPa
Deflection at 500N	EN 15534-1: 2014, 7.3.2 (EN 310:1993)	0.46 mm

Durability	Test Method	Value
Swelling and water absorption	EN 15534-1: 2014, 8.3.1 (EN 317)	Thickness = 1.61% Width = 0.77% Length = 0% Weight = 1.68%