

Physical Property	Test Method	Value
Linear mass	EN 15534-1: 2014, 6.5	3.62 kg/m
Dimensions	EN 15534-1: 2014, 6.6.2	38 x 88 mm
Deviation from straightness	EN 15534-1: 2014, 6.6.3	0.14 mm
Cupping	EN 15534-1: 2014, 6.6.4	0.18 mm

Mechanical Characteristics	Test Method	Value
Falling mass impact resistance	EN 15534-1: 2014, 7.1.2.1 (EN 477:1995)	0.15 mm
Elastic Modulus (MOE)	EN 15534-1: 2014, 7.3.2 (EN 310:1993)	7.70 GPa
Maximum Stress (MOR)	EN 15534-1: 2014, 7.3.2 (EN 310:1993)	68.25 MPa
Deflection at 500N	EN 15534-1: 2014, 7.3.2 (EN 310:1993)	0.77 mm

Durability	Test Method	Value
Swelling and water absorption	EN 15534-1: 2014, 8.3.1 (EN 317)	Thickness = 1.07% Width = 0.37% Length = 0% Weight = 0.43%